

# PAPER SHREDDER INSTRUCTION MANUAL



## STANDARD PRODUCT WARRANTY

**Quality** is part of the company philosophy and all products are manufactured to the highest quality standards. All technical data and measurements are approximate values and based upon single shift operations. All products are subject to different limits and specifications due to operation length, paper size, grain, weight, misuse/abuse and power configurations.

Prior to operation read the Manufacturer's Operating Instructions included with this product. This will help ensure all precautions are taken to avoid cancellation of the manufacturer's warranty.

**The manufacturer warrants that any new products sold will be free from defects in material and workmanship when used under specified and normal operating conditions. This warranty is void if repairs are necessitated by accidents, misuse, abuse, water damage or fire.**

The capabilities of all products are in each specification flier. Exceeding model specifications causing product failure is not covered by this warranty. Modifications, alterations and repairs must be performed by an authorized technician. Lubrication for cross-cut shredders is required every fifteen to thirty minutes of operation, to maintain top working condition and this warranty.

### Compact Shredders

Parts to repair any failure caused by defect is limited to one (1) year from date of invoice. Labor to repair any failure caused by defect is limited to 180 days from date of invoice or warranty registration date.

### NOTES:

- Freight or transportation damage is not classified as a warranty repair in any case.
- Proof of purchase invoice is required from the end-user for warranty validation or warranty registration date.
- All parts under warranty will be shipped and invoiced using standard costs and will be credited for the full amount only when the defective part is returned.
- IT IS RECOMMENDED THAT A MAINTENANCE AGREEMENT BE UTILIZED TO SUPPLEMENT ALL WARRANTIES.

### 1. Proper use, warranty

The shredder is designed exclusively for destroying paper. Its sturdy drive mechanism is not damaged by paper clips and staples. We provide a warranty for the device in accordance with our general sales and delivery terms. This warranty excludes wear, damage due to improper handling, natural depreciation, and actions taken by third parties.



### 2. Machine components / Technical Data



- 1. Cut material container
- 2. Cutting head
- 3. Paper feeding opening
- 4. Automatic start stop control
- 5. Rocker switch

Cutting type	Strip cut	
Shred size	1/8"	1/4"
Safety rating DIN 32757 – 1	2	2
Cutting capacity (sheet) DIN A4 70 g/m <sup>2</sup>	5	7
Loading width	8.9"	
Cutting speed	16 ft./min.	
Voltage	115 V, 60 Hz	
Power max.	80 W	
Dimensions W x D x H	11.7" x 7" x 15.1"	
Weight	8 lbs.	
Volume of shred. mat. container	4.5 gallons	
Noise level (idle running)	59 - 62 dB (A)	
Technical and optical modifications reserved.		

